



VGZ Arnhem, the Netherlands

## D1-D2

SURFACE AND  
RECESSED MOUNTED  
DOWNLIGHTS WITH  
ALUMINIUM REFLECTOR

# D1-D2

SURFACE AND RECESSED MOUNTED DOWNLIGHTS  
WITH ALUMINIUM REFLECTOR



## Quality materials

- ▶ Metal housing, aluminium reflector



## Reduce your energy cost

- ▶ Efficiency up to 155 lm/W



## Reduce your impact on our planet

- ▶ Long lifetime & future proof (replaceable components)



## Tailored for your building

- ▶ Various versions (mounting, flux, colour temperature,...)
- ▶ Two reflector finishes, two unique ambiances

# D1-D2

THE WIDEST CHOICE

## SPECULAR FACETTED REFLECTOR

for the best efficiency  
 $UGR \leq 22/25$



Recessed (D1)



Surface mount (D2)

## SATIN ANODISED REFLECTOR

for a calmer image  
 $UGR \leq 16/19$



Recessed (D1)



Surface mount (D2)



Do you have a specific requirement such as a different colour or size? We have a team dedicated to custom made solutions!

Contact us:  
[info@etaplighting.com](mailto:info@etaplighting.com) or +32 (0)3 310 02 11

🔗 For more detailed product information, check the datasheets on our website.

# D1-D2

INGENIOUS LIGHTING DESIGN

ETAP tomorrow's light



Reflector in aluminium,  
metal housing

Chip On Board (COB)  
module

Easy installation using  
three brackets, no tools are  
required

Heatsink in extruded aluminium



UGR  
≤ 16 to ≤ 25



LLMF  
95%



128 - 155  
lm/w



1,500  
2,500  
3,500  
lumen



3,000 or  
4,000K



min. 205 mm



D1: ø 220 mm,  
h 120 mm  
D2: ø 200 mm,  
h 212 mm

# D1-D2

---

## CIRCULARITY



The **circularity index** indicates the level of circularity and sustainability achieved by our luminaires.

The **product circularity score** indicates how well our product fits into the circular economy based on our endless, effortless and wasteless principles.

The **lifetime efficiency score** compares the energy and material impact of our luminaire with a reference product in the market.

Through the circularity index, we challenge ourselves to continuously enhance our products and achieve higher scores in terms of circularity and sustainability.



### ENDLESS

#### Maximum lifetime:

- High-quality components.
- D1-D2 still delivers 95% luminous flux after 50,000 burning hours (L95B50 @50,000 h).
- Long-life driver: 100,000 hrs. (Tc max. 65°C).
- 5-year warranty, driver included.



### EFFORTLESS

#### Easy to maintain and uninstall:

- D1-D2 is mounted with brackets (no tools required).
- The driver is easily replaceable.

#### Designed for future refurbishment and conversion.



### WASTELESS

#### Excellent recyclability:

- aluminum: 41% (D1) - 75% (D2)
- steel: 34% (D1) - 13% (D2)
- packaging: 16% (D1) - 4% (D2)
- electronics (LEDs & driver): 6% (D1) - 4% (D2)
- plastic: 4% (D1) - 2% (D2)
- powder-coated paint layer: <1% (D1) - 2% (D2)

#### Developed and produced in Belgium.

# D1-D2

THE PERFECT FIT FOR SCHOOLS, OFFICES AND HEALTHCARE

ETAP tomorrow's light



## EDUCATION

In educational settings, the **uniform illumination** of D1-D2 supports various activities, making it ideal for **classrooms** and **corridors**. The D1-D2 downlight seamlessly integrates into different architectural styles, contributing to an optimal learning environment.



## OFFICES

The D1-D2 recessed downlight is perfect for office spaces, offering **low-glare lighting** with a UGR <16 rating to **reduce eye strain** and enhance **comfort**—essential for maintaining productivity. Its precise illumination is ideal for detailed tasks and computer work, while the sleek, flat trim and premium aluminium finish add a sophisticated touch to modern office aesthetics.




## HEALTHCARE

In healthcare facilities, the D1-D2 recessed downlight delivers **low-glare lighting**, crucial for **patient comfort** and **staff efficiency**. It provides consistent, soothing light, essential for a calming atmosphere in medical environments.

# D1-D2

SURFACE AND RECESSED MOUNTED DOWNLIGHTS  
WITH ALUMINIUM REFLECTOR



## CONTACT

### UNITED KINGDOM

✉ [simon.laws@etaplighting.com](mailto:simon.laws@etaplighting.com)  
☎ +44 7813 212 133

### EXPORT

✉ [export@etaplighting.com](mailto:export@etaplighting.com)

🌐 [www.etaplighting.com](http://www.etaplighting.com)

## INTERESTED?

Stay informed of lighting technology and developments by subscribing to our newsletter.

**YES, SIGN ME UP**

The information contained in this publication is not binding and may change due to technical development. ETAP Lighting International is not liable for any damage whatsoever resulting from the use of this document.