

# CERTIFICATE

## (1) EU-Type Examination

- (2) **Equipment or protective systems intended for use in potentially explosive atmospheres - Directive 2014/34/EU**

(3) EU-Type Examination Certificate Number: **DEKRA 19ATEX0071 X** Issue Number: **1**

(4) Product: **Emergency Luminaires, Series KE2../6....-ATEX1**

(5) Manufacturer: **ETAP Lighting International NV**

(6) Address: **Antwerpsesteenweg 130, 2390 Malle, Belgium**

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., Notified Body number 0344 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential test report number NL/DEK/ExTR23.0057/00.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN IEC 60079-0 : 2018**

**EN 60079-31 : 2014**

except in respect of those requirements listed at item 18 of the Schedule.

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the product shall include the following:



**II 2 D Ex tb IIIC T80 °C Db**

Date of certification: 6 March 2024

DEKRA Certification B.V.

R. Schuller  
Certification Manager



Throughout this document, a point is used as the decimal separator.

© Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.

(13) **SCHEDULE**

(14) **to EU-Type Examination Certificate DEKRA 19ATEX0071 X**

Issue No. 1

(15) **Description**

Emergency Luminaires, Series KE2../6....-ATEX1, for fixed installation, available with several test functions, modes of operation and other options.

Ambient temperature range:

- autonomous models: -20 °C to +40 °C
- centrally supplied models: +5 °C to +40 °C

For type designation and electrical data see Annex 2 to NL/DEK/ExTR23.0057/00.

**Electrical data**

See Annex 2 to NL/DEK/ExTR23.0057/00.

**Installation instructions**

The manufacturers instructions shall be followed in detail to assure safe operation.

(16) **Report Number**

NL/DEK/ExTR23.0057/00.

(17) **Specific conditions of use**

1. The luminaires shall be used in a location where there is low risk of mechanical danger.
2. To minimize the risk from electrostatic discharge, the luminaires shall be cleaned only with a damp cloth.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at item (9).

(19) **Test documentation**

As listed in Report No. NL/DEK/ExTR23.0057/00.